01-JUNE-2000
NEW SHEET

IMPELLER CURVES

10EGH/10LKH



PERFORMANCE BASED ON PUMPING CLEAR WATER BELOW BST. WITH LISTED MATLS. COLUMN LOSSES NOT INCLUDED.	CHANGE STAGES	IN EFF. POINTS
BOWL – CAST IRON – LINED	1	−2
IMPELLER – BRONZE	2	−1
	3	0

THRUST FACTORS AT BEP			RPM	PUMP
IMPELLER	LBS./FT	KG/M	3550	10EGH
STANDARD	6.1	9.1	ENCLOSED IMPELLER	CURVE NO.
EYE AREA–15.7 SQ. IN.			N_s = 2960	EC–1644

Column	Nom. Size	Max. GPM	"A" Flanged	"B" Threaded
Optional	6"	600	9.38"	9.50"
Standard	8"	1500	11.38"	9.63"
Optional				

RATINGS				
Max. Pressure = 566 psi based on Class 30 Iron bowls				
Impeller and Shaft Weight = 15.6 pounds per stage				
Pump Shaft	Diameter = 1.50 inches			
	Max. HP. = 395 with 416 SS Pump Shaft			
Line Shaft Size	1.00	1.25	1.50	
Line Shaft H.P.	114	227	395	

Additional Data	
Max. Operating Speed.	3600
Max. No. of Stages	15
Max. Sphere Size	.77
End Play	.52
WR 2 Per Stage	.501
Bowl Ring Clearance	.004 - .006
Impeller Running Clearance (3)	0.125



(1) Minimum submergence required to prevent vortex formation. The submergence needed to provide adequate NPSH to the first stage. Impeller may be greater or less than shown. The larger of the two values must be used to determine actual minimum allowable submergence.

(2) Location of eye of first stage impeller. Used to calculate NPSH. This is also the minimum priming submergence. (See note 1).

(3) Vertical Impeller to Bowl running clearance after shaft stretch.

(4) For Suction Case dimensions see sheets 20.25 and 20.27.