



BERKELEY PUMP COMPANY

SUBMERSIBLE TURBINE PUMPS

6" AND 7" BOWLS

PERFORMANCE CURVES

CURVE	2500
DATE	7-1-76
PAGE	5.02
SUPERSEDES	
Curve 2500	Page 5.02
Dated 6-1-76	


	Bowl	Impeller
Material	C.I.	BRZ.
Patt. No.	M-1975	M-1981
Mach. No.	M-1975	M-1996
Diameter	6-7/8" O.D. 4-3/4" x 5-3/8" FULL	

Letter	Impeller Diameter

Based on T-1485 Test of 5 Stage Pump.
Performance for MULTI Stage Pump.

6" MOTOR

HP	STG	DIA.
30	4	4-5/8" x 5-1/8"
25	3	FULL
20	2	FULL
15	2	4-3/8" x 5-1/8"
10	1	FULL



N.P.S.H. IN FEET

BRAKE HORSEPOWER



BERKELEY PUMP COMPANY

SUBMERSIBLE TURBINE PUMPS

6" AND 7" BOWLS

PERFORMANCE CURVES

CURVE 2500
DATE 7-1-76
PAGE 5.02

SUPERSEDES

Curve 2500 Page 5.02

Dated 6-1-76

	Bowl	Impeller
Material	C.I.	BRZ.
Pat. No.	M-1975	M-1996
Mech. No.	M-1975	M-1996
Diameter	6-1/2" O.D.	4-3/4" x 5-3/8" FULL

Letter	Impeller Diameter

Based on T- 3227 Test of 2 Stage Pump.
Performance for 4 & 6 Stage Pump.



C-8143

Issue Date 4-2-76

(Supersedes NEW

Dated -)

3600 Nom. R.P.M.

MODEL 7S3M

N.P.S.H. IN FEET

BRAKE HORSEPOWER



BERKELEY PUMP COMPANY

SUBMERSIBLE TURBINE PUMPS

7", 8" AND 10" BOWLS

PERFORMANCE CURVES

CURVE 2800
DATE 9-1-79
PAGE 1.02

SUPERSEDES

NEW

	Bowl	Impeller
Material	C.I.	Brz.
Patt. No.	M-1975	M-1996
Mech. No.	M-6019	M-1996
Diameter	6-1/2" O.D.	4-3/4" x 5-3/8" full

Based on T-3227 Test of 2 Stage Pump.
Performance for Multistage Pump.

